

LISTING OF CLAIMS

This listing supercedes prior listings of the claims, and includes amendments as marked.

1. (Currently Amended) A method comprising:
receiving both image data and additional visual effect information at a user equipment ~~of a first user from a device of a second user over~~from a data communication system;
generating a visual effect to be presented in association with a version of the image, said visual effect being generated based on said visual effect information; and
after said receiving and generating, displaying at said user equipment a version of said image with said visual effect on a display of the user equipment and the image without said visual effect on the display in a predetermined time sequence.
2. (Currently Amended) A method as claimed in claim 1, wherein said displaying of said version of the image associated with said the visual effect is ~~done~~presented before said displaying of the image without said visual effect.
3. (Currently Amended) A method as claimed in claim 1, wherein ~~the presentation~~said displaying of said version of said image with ~~of~~ said visual effect is started before all image data that associates with the image has been received in its entirety from the data communication system.
4. (Currently Amended) A method as claimed in claim 1, wherein said displaying of said version of said image with the visual effect is ~~displayed~~done at said user equipment for a predefined period of time.
5. (Previously Presented) A method as claimed in claim 1, wherein the visual effect visualizes information that is associated with the context or content of the image.
6. (Previously Presented) A method as claimed in claim 5, wherein the visual effect

visualizes at least one of the following features: the temperature in the target of the image; the time when the image was created; movements associated with the image; emotional feelings associated with the image.

7. (Previously Presented) A method according to claim 1, wherein the visual effect visualizes the age of the image.

8. (Previously Presented) A method as claimed in claim 1, wherein the visual effect visualizes a location.

9. (Original) A method as claimed in claim 8, wherein the location is the location of the source of the image data.

10. (Original) A method as claimed in claim 9, wherein the source comprises the location of the target of the image or the location of the imaging apparatus capturing the image.

11. (Currently Amended) A method as claimed in claim 8, wherein the visual effect visualizes relative location between ~~the device~~ a device at which the image was taken and the user equipment.

12. (Currently Amended) A method as claimed in claim 11, comprising: receiving first position data associated with the geographical location of the user equipment; receiving second position data associated with the geographical location of the device at which the image was taken ~~source of the image data~~; and processing said first and second location data for obtaining said relative location.

13. (Original) A method as claimed in claim 8, comprising use of information associated with the directional position of the user equipment.

14. (Original) A method as claimed in claim 12, wherein the processing is

accomplished by a processor of the user equipment.

15. (Currently Amended) A method as claimed in claim 8, wherein the location is visualized by displaying a version of the image on a position on the display that depends on the location of where the image was captured or of the device ~~of the second user at~~ which the image was taken.

16. (Previously Presented) A method as claimed in claim 15, further comprising displaying a map, wherein a location on said map is visualized by associating said version of the image with a position on the map.

17. (Previously Presented) A method as claimed in claim 15, wherein locations to the north of the user equipment are indicated by associating the display of the version of the image with the top portion of the display means, locations to the south of the user equipment are indicated by associating the display of the version of the image with the lower portion of the display means, locations to the west of the user equipment are indicated by associating the display of the version of the image with the left portion of the display means, and locations to the east of the user equipment are indicated by associating the display of the version of the image with the right portion of the display means.

18. (Previously Presented) A method as claimed in claim 8, wherein the size of the image visualizes the distance between the location and the user equipment.

19. (Previously Presented) A method as claimed in claim 18, wherein the size of the image is changed at a speed that visualizes the distance between the location and the user equipment.

20. (Previously Presented) A method as claimed in claim 1, wherein the visual effect comprises moving a version of the image on the display so that the image appears at different locations on the display.

21. (Original) A method as claimed in claim 1, wherein the visual effect is indicative of the importance of the image.

22. (Original) A method as claimed in claim 1, wherein the visual effect is indicative of a priority order of the image.

23. (Previously Presented) A method as claimed in claim 1, wherein the visual effect visualizes an audio effect associated with the image.

24. (Original) A method as claimed in claim 1, wherein the visual effect is indicative of the origin of the image.

25. (Original) A method as claimed in claim 24, wherein the visual effect indicates a group of persons.

26-28. (Canceled)

29. (Previously Presented) A method as claimed in claim 1, wherein the presentation of the visual effect comprises presentation of a differently colored version of the image.

30. (Previously Presented) A method as claimed in claim 29, wherein a predefined color during the presentation of the visual effect visualizes a predefined condition.

31. (Previously Presented) A method as claimed in claim 29, wherein at least one color of the image is modified by altering a color index table of the image.

32. (Previously Presented) A method as claimed in claim 29, wherein at least one color of the image is modified by modifying a bitmap of the image.

33. (Original) A method as claimed in claim 1, wherein the additional information is

obtained from the name of an image data file.

34. (Original) A method as claimed in claim 1, wherein the additional information is included in the image data.

35. (Original) A method as claimed in claim 1, wherein the additional information is included in a separate field of an image data file.

36. (Original) A method as claimed in claim 1, wherein the presentation of the visual effect comprises provision of a shaking or vibrating version of the image.

37. (Original) A method as claimed in claim 1, wherein the presentation of the visual effect comprises provision of a distorted version of the image.

38. (Original) A method as claimed in claim 1, wherein the presentation of the visual effect comprises provision of at least one differently sized version of the image.

39. (Original) A method as claimed in claim 1, wherein the image data is transmitted over a wireless interface between the user equipment and the data network.

40. (Original) A method as claimed in claim 39, wherein the user equipment comprises a mobile station adapted for communication with a cellular communication network.

41. (Previously Presented) A method, comprising:

receiving, at a mobile station having a display, both image data and visual effect information from a data communication system, said image data and additional information being transmitted over a wireless interface between the mobile station and the data communication system;

generating a visual effect to be presented in association with a version of the image, said visual effect being generated based on said visual effect information; and

after said receiving and generating, displaying on the mobile station display a version of the image with said visual effect and the image without said visual effect on the mobile station display in a predetermined time sequence.

42. (Currently Amended) Apparatus comprising:

a receiver configured to receive both image data associated with the image and additional associated information from ~~a device over~~ a data communication system;

a display; and

a processor configured to generate a visual effect based on said additional information associated with the image and control display of the image and a version of the image ~~comprising with~~ the visual effect on the display, wherein said image and said version of the image comprising the visual effect are displayed, after the receiver receives the image data and associated information, in a predetermined time sequence ~~to convey a meaning associated with a context of the image.~~

43. (Previously Presented) Apparatus as claimed in claim 42, wherein the processor is configured ~~being adapted~~ to display said the version of the image ~~that comprises~~ with the visual effect before displaying the image.

44. (Currently Amended) Apparatus as claimed in claim 43, wherein the processor ~~which~~ is configured to display said version of the image with the visual effect before all image data has been received in its entirety from the data communication system.

45. (Previously Presented) A communication system, comprising:

a data communication media for transporting data between at least two user equipment;

a first user equipment including a camera configured to capture an image and generate image data associated with the captured image, said first user equipment being adapted to associate visual effect information with the image data; and

a second user equipment comprising a receiver means for receiving the image data and visual effect information from the first user equipment, a processor means for

processing said received image data, and a display means for displaying the image based on the received image data, said second user equipment being also adapted to display the image and an altered version of the image in a predetermined time sequence, wherein the altered version comprises a visual effect generated based on said visual effect information.

46. (Previously Presented) A method, comprising:
sending both image data associated with an image and additional information associated with content of the image from a first party to user equipment of a second party via a data communication system;
generating on the basis of said additional information a visual effect to be presented in association with a version of the image, said visual effect visualizing said information associated with the context of the image; and
after the sending and generating, displaying on a display of the user equipment said visual effect and the image on the display without the visual effect in a predetermined time sequence.

47. (Previously Presented) The method of claim 46, wherein the predetermined sequence is determined by the additional associated information.

48. (Previously Presented) The method of claim 47, wherein the predetermined sequence conveys a message and has meaning that is associated with a context of said image.

49-50 (Cancelled)

51. (Currently Amended) Apparatus as claimed in claim 42, which is configured to display said version of the image with the visual effect for a predefined period of time.

52. (Previously Presented) Apparatus as claimed in claim 42, wherein the visual effect visualizes information that is associated with the context or content of the

image.

53. (Previously Presented) Apparatus as claimed in claim 52, wherein the visual effect visualizes at least one of the following features: the temperature in the target of the image; the time when the image was created; movements associated with the image; emotional feelings associated with the image.

54. (Previously Presented) Apparatus according to claim 52, wherein the visual effect visualizes the age of the image.

55. (Previously Presented) Apparatus as claimed in claim 42, wherein the visual effect visualizes a location.

56. (Previously Presented) Apparatus as claimed in claim 55, wherein the location is the location of the source of the image data.

57. (Previously Presented) Apparatus as claimed in claim 56, wherein the source comprises the location of the target of the image or the location of the imaging apparatus capturing the image.

58. (Currently Amended) Apparatus as claimed in claim 55, wherein the visual effect visualizes relative location between the apparatus and ~~said a device~~ at which the image was taken.

59. (Previously Presented) Apparatus as claimed in claim 42, which is configured to: receive first position data associated with the geographical location of said apparatus; receive second position data associated with the geographical location of the source of the image data; and process said first and second location data for obtaining said relative location.

60. (Previously Presented) Apparatus as claimed in claim 55, which is

configured to use information associated with the directional position of the user equipment.

61. (Currently Amended) Apparatus as claimed in claim 55, which is configured to visualize the location by displaying a version of the image on a position on the display that depends on the location of where the image was captured or of ~~said a device~~ at which the image was taken.

62. (Previously Presented) Apparatus as claimed in claim 61, which is further configured to: display a map, wherein a location on said map is visualized by associating said version of the image with a position on the map.

63. (Previously Presented) Apparatus as claimed in claim 61, wherein locations to the north of the user equipment are indicated by associating the display of the version of the image with the top portion of the display means, locations to the south of the user equipment are indicated by associating the display of the version of the image with the lower portion of the display means, locations to the west of the user equipment are indicated by associating the display of the version of the image with the left portion of the display means, and locations to the east of the user equipment are indicated by associating the display of the version of the image with the right portion of the display means.

64. (Previously Presented) Apparatus as claimed in claim 55, wherein the size of the image visualizes the distance between the location and the user equipment.

65. (Currently Amended) Apparatus as claimed in claim 64, which is further configured to change the ~~the~~ size of the image at a speed that visualizes the distance between the location and the user equipment.

66. (Previously Presented) Apparatus as claimed in claim 42, wherein the visual effect comprises moving a version of the image on the display so that the image

appears at different locations on the display.

67. (Previously Presented) Apparatus as claimed in claim 42, wherein the visual effect is indicative of the importance of the image.

68. (Previously Presented) Apparatus as claimed in claim 42, wherein the visual effect is indicative of a priority order of the image.

69. (Previously Presented) Apparatus as claimed in claim 42, wherein the visual effect visualizes an audio effect associated with the image.

70. (Previously Presented) Apparatus as claimed in claim 42, wherein the visual effect is indicative of the origin of the image.

71. (Previously Presented) Apparatus as claimed in claim 70, wherein the visual effect indicates a group of persons.

72. (Previously Presented) Apparatus as claimed in claim 42, wherein said version of the image comprising the visual effect comprises a differently colored version of the image.

73. (Previously Presented) Apparatus as claimed in claim 72, wherein a predefined color visualizes a predefined condition.

74. (Previously Presented) Apparatus as claimed in claim 72, which is configured to modify at least one color of the image by altering a color index table of the image.

75. (Previously Presented) Apparatus as claimed in claim 72, which is configured to modify at least one color of the image by modifying a bitmap of the image.

76. (Previously Presented) Apparatus as claimed in claim 42, wherein the additional information is obtained from the name of an image data file.
77. (Previously Presented) Apparatus as claimed in claim 42, wherein the additional information is included in the image data.
78. (Previously Presented) Apparatus as claimed in claim 42, wherein the additional information is included in a separate field of an image data file.
79. (Previously Presented) Apparatus as claimed in claim 42, wherein the visual effect comprises provision of a shaking or vibrating version of the image.
80. (Previously Presented) Apparatus as claimed in claim 42, wherein the visual effect comprises provision of a distorted version of the image.
81. (Previously Presented) Apparatus as claimed in claim 42, wherein the the visual effect comprises provision of at least one differently sized version of the image.
82. (Previously Presented) Apparatus as claimed in claim 42, wherein the image data is received over a wireless interface.
83. (Previously Presented) Apparatus as claimed in claim 82, which is part of a mobile station adapted for communication with a cellular communication network.
84. (New) A computer program embodied on a computer-readable medium configured to control a processor to perform a method, the method comprising:
receiving both image data and additional visual effect information at a user equipment from a data communication system;
generating a visual effect to be presented in association with a version of the image, said visual effect being generated based on said visual effect information; and

after said receiving and generating, displaying at said user equipment a version of said image with said visual effect on a display of the user equipment and the image without said visual effect on the display in a predetermined time sequence.

85. (New) A computer program as claimed in claim 84, wherein said displaying of said version of the image associated with the visual effect is done before said displaying of said image without said visual effect.

86. (New) A computer program as claimed in claim 84, wherein said displaying of said version of said image with said visual effect is started before all image data that associates with the image has been received in its entirety from the data communication system.

87. (New) A computer program as claimed in claim 84, wherein said displaying of said version of said image with said visual effect is done at said user equipment for a predefined period of time.